Version 1.4



17 Corban Avenue, Henderson, Waitakere 0612 P.O. Box 21169, Henderson, Waitakere 0650, New Zealand Phone: +64 9 838-6961 Facsimile: +64 9 836-4849 Website: www.adhesivetechnologies.co.nz

### 1. Product and Company Identification

WEST SYSTEM\* MICROLIGHT **Product Name** 

**Product Code** 410

Recommended Construction of fibre reinforced

uses

equipment and fittings. Suitable for construction of recreational water craft. Corrosion resistant

flooring and coatings.

Company Adhesive Technologies NZ ltd

Street Address 17 Corban Avenue

> Henderson Auckland

**Telephone** +64 9 838 6961

**Emergency Contact numbers** 

**National Poisons Centre** 0800 764 766 (0800 POISON)

**Other Countries** 0064 3 479 7248

New Zealand Fire Service - 111

2. Hazards Identification	
HSNO	Classification
9.1D	Harmful to aquatic life
9.2A	Very toxic to the soil environment

### **Composition/Information on Ingredients**

Chemical Name	CAS no.	Weight %
Sodium Borosilicate Spheres	50815-87-7	>60
PVC Copolymer Spheres	25214-39-5	<40
2,4,6- tris(dimethylaminophenol)	71074-89-0	<10

### 4. First Aid

First aid is generally not required. If Inhalation

irritation occurs remove victim to fresh air and provide oxygen if breathing is

difficult.

Skin Remove contaminated clothing/shoes Contact and wipe excess from skin. Flush skin

> with water. Follow by washing with soap and water. If irritation occurs, get medical attention. Do not reuse clothing until

cleaned.

Flush eyes with plenty of water for 15 Eve contact

minutes while holding eyelids open. Get

medical attention.

Do not induce vomiting. Rinse mouth Ingestion

with water. Give plenty of water to drink.

Treatment Treat symptomatically

## 5. Fire-fighting Measures

Use water fog, foam, dry chemical or Extinguishing Media carbon dioxide.

Fire and There is no risk of an explosion from

**Explosion** this product under normal

**Hazards** circumstances if it is involved in a fire.

This product if scattered, may form flammable dust clouds in the air.

Fire-fighting Do not enter confined fire space equipment without full bunker gear (helmet with

face shield, bunker coats, gloves and rubber boots). Use approved positive

pressure self contained breathing

apparatus.

**HAZCHEM** None allocated

### **Accidental Measures**

Personal Use cautious judgement when cleaning up spills. Shut off leaks, if **Precautions** 

possible without personal risk.

Environmental Remove contaminated soil to remove **Precautions** contaminated trace residues.

Prevent from entering into drains,

ditches or rivers.

Sweep up using a broom and shovel. Clean-up

Seal in a plastic bag ready for Methods

(small) disposal or recycling.

Clean-up Remove with vacuum trucks or pump Methods to storage/salvage vessels. Seal

tightly for proper disposal. (large)

March 2014 Page 1 of 3 Version 1.4



17 Corban Avenue, Henderson, Waitakere 0612 P.O. Box 21169, Henderson, Waitakere 0650, New Zealand Phone: +64 9 838-6961 Facsimile: +64 9 836-4849 Website: www.adhesivetechnologies.co.nz

	1.	Handiii	ng an	a St	orage
—			1/		

**Handling** Keep out of reach of children. Put on appropriate PPE (see section 8).

Causes skin irritation and sensitivity. Avoid contact with skin, eyes and clothing. Wash with soap and water before eating, drinking, smoking, applying cosmetics, or using toilet facilities. Do not breathe vapour or mist. Clean up spilled material immediately, and wash clothes, equipment and work area after use.

Storage Store in a cool, dry place with adequate ventilation. Keep bags

closed when not in use.

### 8. Exposure Controls / Personal Protection

Occupational	None established	
Exposure		
limits		

WEL = workplace exposure limit TWA = time weighted average STEL = short term exposure limit

# Engineering controls

Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants as low as possible and/or below any recommended or statutory limits. Use explosion-proof ventilation equipment.

# Personal Protection

**Respiratory** - Use a properly fitted, airpurifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.

**Skin** - Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Eye** - Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.

**Hand** - Recommended: polyvinyl alcohol (PVA), Butyl rubber, EVAL, Neoprene.

9. Physical and Chemical Properties		
Appearance	Powder	
Colour	Tan	
Odour	No Odour	
рН	Not available	
Vapour pressure	Negligible at normal temp	
Vapour density	Not available	
<b>Boiling Point</b>	Not available	
Melting/Freezing Point	Not available	
Solubility (water)	Not Miscible	
Specific Gravity/Density	0.2-0.8g/cm <sup>3</sup> [25°C; 77°F]	
Flash Point	Not available	
Flammable Limits	LFL: Not available UFL: Not available	
Auto-ignition	Not available	

10. Stability	and Reactivity
Chemical	Stable under recommended storage
Stability	conditions.
Clability	conditions.
Conditions to	Avoid temperatures above 300°C.
avoid	Potentially violent decomposition
	can occur, causing gas generation
	and pressure increases in closed
	systems.
Materials to	Reactive or incompatible with the
avoid	following materials: oxidizing
	materials: Slightly reactive or
	incompatible with the following
	materials: acids and alkalis.
Hazardous	Decomposition products may
Decomposition	include the following materials:
Products	carbon oxides, phenolics and water.

11. Toxicological Information Potential Health effects		
Inhalation	Vapours are unlikely due to physical properties.	
Ingestion	Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts.	
Skin	Prolonged or repeated contact may cause skin irritation.	
Eye	May cause eye irritation. Corneal injury is unlikely.	

March 2014 Page 2 of 3

Version 1.4



17 Corban Avenue, Henderson, Waitakere 0612 P.O. Box 21169, Henderson, Waitakere 0650, New Zealand Phone: +64 9 838-6961 Facsimile: +64 9 836-4849 Website: www.adhesivetechnologies.co.nz

#### **Acute Health Effects**

There is no data available

Systemic
Effects
Not available
Carcinogenicity
Not available
Not available

## 12. Ecological Information

**Ecotoxicity** Not available

**Degradability** Not Biodegradable. **Bioaccumulation** Not available

## 13. Disposal Considerations

#### Disposal

DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER. All disposal methods must be in compliance with all Federal, State/Provincial and local laws and regulations.

FOR UNUSED AND UNCONTAMINATED PRODUCT, the preferred options include sending to a licensed, permitted: recycler, reclaimer, incinerator or other destruction device.

14. Tra	nsport	

Road, Rail, Sea and Air Transport		
UN Number	None Allocated	
Proper Shipping name	None Allocated	
DG Class	None Allocated	
Packing Group	None Allocated	
HAZCHEM code	2X	
IMO/IMDG class	None Allocated	
ICAO/IATA class	None Allocated	
EMS code	F – A, S – F	
Marine pollutant	No	

### 15. Regulatory Information

ERMA NZ Approval code

HSR003569

### 16. Other Information

FOR FURTHER PRODUCT INFORMATION CALL ADHESIVE TECHNOLOGIES NZ LTD DURING BUSINESS HOURS

Product Information

(+64) 9 838 6961

Manager

The information provided in this safety data sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in text.

March 2014 Page 3 of 3