

Version 1.1

1. Product and Company Identification

Product Name Product Code	WEST SYSTEM* FILLETING BLEND 411
Recommended uses	Construction of fibre reinforced equipment and fittings. Suitable for construction of recreational water craft. Corrosion resistant flooring and coatings.
Company Street Address	Adhesive Technologies NZ ltd 17 Corban Avenue Henderson Auckland
Telephone	+64 9 838 6961
Emergency Contact numbers	National Poisons Centre 0800 764 766 (0800 POISON)
	Other Countries

0064 3 479 7248

New Zealand Fire Service – 111

2.	Hazards Identification	
HSNO Classification		
040	I la matul ta a mustia lita	

9.1D	Harmful to aquatic life
9.2A	Very toxic to the soil environment

3. Composition/Information on Ingredients

Chemical Name	CAS no.	Weight %
Silicon Dioxide	7631-86	<20
Glass Microspheres, Sodium Borosilicate	50815-87-7	>80
Other ingredients determined not to be hazardous	-	To 100

4. First Aid		
Inhalation Skin Contact	First aid is generally not required. If irritation occurs remove victim to fresh air and provide oxygen if breathing is difficult. Remove contaminated clothing/shoes and wipe excess from skin. Flush skin with water. Follow by washing with soap and water. If irritation occurs, get medical attention. Do not reuse clothing until cleaned.	
Eye contact	Flush eyes with plenty of water for 15 minutes while holding eyelids open. Get medical attention.	
Ingestion	Do not induce vomiting. Rinse mouth with water. Give plenty of water to drink.	
Treatment Treat symptomatically		
5. Fire	-fighting Measures	
Extinguishi Media		
Fire and Explosion Hazards	There is no risk of an explosion from this product under normal circumstances if it is involved in a fire. This product if scattered, may form flammable dust clouds in the air.	
Fire-fighting equipment	without full bunker gear (helmet with face shield, bunker coats, gloves and rubber boots). Use approved positive pressure self contained breathing apparatus.	
HAZCHEM	None allocated	
6. Acc	idental Measures	
Personal Precautions	Use cautious judgement when cleaning up spills. Shut off leaks, if possible without personal risk.	
Environmei Precautions		
Clean-up Methods (small)	Sweep up using a broom and shovel. Seal in a plastic bag ready for disposal or recycling.	
Clean-up Methods (large)	Remove with vacuum trucks or pump to storage/salvage vessels. Seal tightly for proper disposal.	

411 FILLETING BLEND



Version 1.1

7. Handling and Storage

Handling Keep out of reach of children. Put on appropriate PPE (see section 8). Causes skin irritation and sensitivity. Avoid contact with skin, eyes and clothing. Wash with soap and water before eating, drinking, smoking, applying cosmetics, or using toilet facilities. Do not breathe vapour or mist. Clean up spilled material immediately, and wash clothes, equipment and work area after use. Store in a cool, dry place with Storage adequate ventilation. Keep bags closed when not in use.

8. Exposure Controls / Personal Protection

Occupational	None established	
Exposure		
limits		
WEL = workplace exposure limit		
TWA = time weighte	ed average	

STEL = short term exposure limit

Engineering controls	Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls
	to keep worker exposure to airborne contaminants as low as possible and/or
	below any recommended or statutory limits. Use explosion-proof ventilation
	equipment.
Personal	Respiratory - Use a properly fitted, air-
Protection	purifying or air-fed respirator complying with an approved standard if a risk

with an approved standard if a risk assessment indicates this is necessary.

Skin - Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Eye - Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.

Hand - Recommended: polyvinyl alcohol (PVA), Butyl rubber, EVAL, Neoprene.

9. Physical and Cher	nical Properties
Appearance	Powder
Colour	White
Odour	No Odour
рН	Not available
Vapour pressure	Negligible at normal temp
Vapour density	Not available
Boiling Point	Not available
Melting/Freezing Point	Not available
Solubility (water)	Not Miscible
Specific Gravity/Density	0.2–0.8g/cm ³ [25°C; 77°F]
Flash Point	Not available
Flammable Limits	LFL: Not available
	UFL: Not available
Auto-ignition	Not available

10. Stability	and Reactivity
Chemical	Stable under recommended storage
Stability	conditions.
•	
Conditions to	Avoid temperatures above 300°C.
avoid	Potentially violent decomposition
	can occur, causing gas generation
	and pressure increases in closed
	systems.
Materials to	Reactive or incompatible with the
avoid	following materials: oxidizing
	materials: Slightly reactive or
	incompatible with the following
	materials: acids and alkalis.
Hazardous	Decomposition products may
Decomposition	include the following materials:
Products	carbon oxides, phenolics and water.
FIGUUCIS	carbon oxides, prienolics and water.

11. Toxicological Information Potential Health effects		
Inhalation	Vapours are unlikely due to physical properties.	
Ingestion	Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts.	
Skin	Prolonged or repeated contact may cause skin irritation.	
Еуе	May cause eye irritation. Corneal injury is unlikely.	

Version 1.1



Acute Health Effects

There is no data available

Systemic Effects	Not available
Carcinogenicity	Not available
Mutagenicity	Not available

12. Ecological Information

Ecotoxicity	Not available
Degradability	Not Biodegradable.
Bioaccumulation	Not available

cumulation Not available

13. Disposal Considerations

Disposal

DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER. All disposal methods must be in compliance with all Federal, State/Provincial and local laws and regulations.

FOR UNUSED AND UNCONTAMINATED PRODUCT, the preferred options include sending to a licensed, permitted: recycler, reclaimer, incinerator or other destruction device.

14. Transport Information

Road, Rail, Sea and Air Transport		
UN Number	None Allocated	
Proper Shipping name	None Allocated	
DG Class	None Allocated	
Packing Group	None Allocated	
HAZCHEM code	2X	
IMO/IMDG class	None Allocated	
ICAO/IATA class	None Allocated	
EMS code	F – A, S – F	
Marine pollutant	No	

15. Regulatory Information

ERMA NZ Approval code

HSR003569

16. Other Information

FOR FURTHER PRODUCT INFORMATION CALL ADHESIVE TECHNOLOGIES NZ LTD DURING BUSINESS HOURS

Product Information Manager (+64) 9 838 6961

The information provided in this safety data sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in text.